



3 T Diesel Loader

For 3 T Diesel Loader, everyone has different special concerns about it, and what Hilima Company does is to maximize the product requirements of each customer, so the quality of our 3T diesel loader has been well received by many customers and enjoyed a good reputation in many countries. Sincerely look forward to cooperating with you in the near future.

1. Product introduction of the 3 T diesel loader

3T diesel loader is one of our flagship products. It is popular among customers for its low price, durability and powerful horsepower. Our product advantages are as follows:

- The body, head and arm of the whole car are made of high strength manganese steel, which is resistant to extrusion and wear and no deformation.
- The whole car body adopts baking process, paint adhesion is strong, never change color.
- The bucket adopts computer optimization design, single tip bucket cylinder, "Z-shaped rotary bucket structure", to achieve a huge shovel force.
- The whole car adopts the oil cylinder imported from Japan, durable.

2. Product parameter of the 3 T diesel loader

performance	overall dimensions(mm)	6500*2200*2950
-------------	------------------------	----------------

Shandong Heima Construction Machinery Co. LTD

Tel: +86-13969325101

E-mail: zlh7611@hotmail.com

	rated load(kg)	2200
	bucket capacity(m3)	1.3
	operating weight(kg)	5800
	dumping height(mm)	3600

3. Product feature and application of the 3T diesel loader



Detailed parameters

engine	engine model	Deutz
	rated power (KW)	92
	type	inline, water cooling, four stroke, direct injection, 6cylinder, turbo charge
transmission	Gearbox	counter shaft power shift
	converter	315
	gear shift	4F2R
	model of axle	3T hub reduction axle

Shandong Heima Construction Machinery Co. LTD

Tel: +86-13969325101

E-mail: zlh7611@hotmail.com

tyre	tyre size	17.5-25
	service braking	gas cap oil

